



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/028,899	12/20/2001	Robert Alan Reid	01 P 09444 US	2160

21171 7590 09/15/2006

STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

BULLOCK JR, LEWIS ALEXANDER

ART UNIT PAPER NUMBER

2195

DATE MAILED: 09/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/028,899

Applicant(s)

REID, ROBERT ALAN

Examiner

Lewis A. Bullock, Jr.

Art Unit

2195

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 and 11-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 and 11-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-8, 11-17 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by FLECK (U.S. Patent 6,128,641).

As to claim 1, FLECK teaches a method of chained switching execution of data processing tasks (routines / interrupt handlers) comprising: a first data processing task (routine / interrupt handler) executing a call (return) to a task switching function (context switch control unit / instruction control unit); the task switching function selecting a return address (context / pointer to CSA) corresponding to a second data processing task (routine / interrupt handler); and the task switching function executing a return operation (return) to the second data processing task; (via returning from the now current CSA to a previously executing context) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28). Fleck also teaches the current context resides in the general purpose and program state registers of the processor and to save the current context and create a new one, the following steps can be performed by the processor hardware: a context save area is taken from the free list, the current context is stored into the save area, the save area is added to the head of the previous context list wherein the steps are

Art Unit: 2195

performed in connection with a function call, or with taking a trap or interrupt thereby allowing the called function or interrupt or trap handler free to modify the general registers and other processor state without destroying the context of the calling function or interrupt task (col. 1, line 60 – col. 2, line 6). To switch back from a called function or trap or interrupt handler and switch back to the previous context, the following steps are performed by the processor handler: the save area at the head of the previous context list is removed from that list, the current context is loaded from the save area just removed from the previous context list, and the save area is added to the free context save area list. These steps are performed as part of the function return instruction, or the instruction to return from an interrupt or trap handler. FLECK also teaches on figure 4 that the PCX has three contexts which would be associated with three previously executing tasks / interrupt handlers. Therefore, the teachings of FLECK teach an interrupt handler/task executing such that when it finishes it invokes a return operation and the context switch control unit switches back to the head of the PCX pointer, thereby switching context / loading the previously executing second task / interrupt handler, such that when it finishes it invokes a return operation and the context switch control unit switches back to the new head of the PCX pointer, thereby switching context / loading the now previously executing third task / interrupt handler.

As to claim 11, FLECK teaches an apparatus for chained switching execution of a tasks (routines / interrupt handlers) on a data processor (data processing unit) comprising: a memory (memory) having a first storage location for storing a return

Art Unit: 2195

address corresponding to a second task (via storing CSA on previous context save area list); an input (call) for receiving information indicative of instructions of a task switching function that has been called by the first task (via a return from an executing routine / interrupt handler); and a memory management apparatus (via the context switch control unit) coupled to the input and the memory, and responsive to the instruction information indicating a return instruction for moving the return address from the first storage location to a register of the data processor (via performing a context switch thereby returning to a previous CSA) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28). Fleck also teaches the current context resides in the general purpose and program state registers of the processor and to save the current context and create a new one, the following steps can be performed by the processor hardware: a context save area is taken from the free list, the current context is stored into the save area, the save area is added to the head of the previous context list wherein the steps are performed in connection with a function call, or with taking a trap or interrupt thereby allowing the called function or interrupt or trap handler free to modify the general registers and other processor state without destroying the context of the calling function or interrupt task (col. 1, line 60 – col. 2, line 6). To switch back from a called function or trap or interrupt handler and switch back to the previous context, the following steps are performed by the processor handler: the save area at the head of the previous context list is removed from that list, the current context is loaded from the save area just removed from the previous context list, and the save area is added to the free context save area list.

These steps are performed as part of the function return instruction, or the instruction to return from an interrupt or trap handler. FLECK also teaches on figure 4 that the PCX has three contexts which would be associated with three previously executing tasks / interrupt handlers. Therefore, the teachings of FLECK teach an interrupt handler/task executing such that when it finishes it invokes a return operation and the context switch control unit switches back to the head of the PCX pointer, thereby switching context / loading the previously executing second task / interrupt handler, such that when it finishes it invokes a return operation and the context switch control unit switches back to the new head of the PCX pointer, thereby switching context / loading the now previously executing third task / interrupt handler.

As to claim 17, FLECK teaches a data processing apparatus, comprising: a data processing portion for executing tasks (data processing unit); a task switcher (context switch control unit) coupled to the data processing portion for switching from execution of a first task (routine / interrupt handler) to execution of a second task (routine / interrupt handler) (via a return operation), the task switcher including a memory (memory) having a storage location for storing a return address corresponding to the second task (via storing CSA on previous context save area list), and an input for receiving information indicative of instructions of a task switching function that has been called by the first task (via a return operation to return execution to the previously executing context of a task or interrupt handler); a register coupled to the task switcher (data registers / address registers); and the task switcher including a memory

Art Unit: 2195

management apparatus coupled to the input and the memory; and responsive to the instruction information indicating a return instruction for moving the return address from the storage location to the register (via performing a context switch thereby returning to a previous CSA) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28). Fleck also teaches the current context resides in the general purpose and program state registers of the processor and to save the current context and create a new one, the following steps can be performed by the processor hardware: a context save area is taken from the free list, the current context is stored into the save area, the save area is added to the head of the previous context list wherein the steps are performed in connection with a function call, or with taking a trap or interrupt thereby allowing the called function or interrupt or trap handler free to modify the general registers and other processor state without destroying the context of the calling function or interrupt task (col. 1, line 60 – col. 2, line 6). To switch back from a called function or trap or interrupt handler and switch back to the previous context, the following steps are performed by the processor handler: the save area at the head of the previous context list is removed from that list, the current context is loaded from the save area just removed from the previous context list, and the save area is added to the free context save area list. These steps are performed as part of the function return instruction, or the instruction to return from an interrupt or trap handler. FLECK also teaches on figure 4 that the PCX has three contexts which would be associated with three previously executing tasks / interrupt handlers. Therefore, the teachings of FLECK teach an interrupt handler/task executing

Art Unit: 2195

such that when it finishes it invokes a return operation and the context switch control unit switches back to the head of the PCX pointer, thereby switching context / loading the previously executing second task / interrupt handler, such that when it finishes it invokes a return operation and the context switch control unit switches back to the new head of the PCX pointer, thereby switching context / loading the now previously executing third task / interrupt handler.

As to claim 2, FLECK teaches the selecting step includes the task switching function selecting a first pointer (address / pointer) that points to a first area of memory (CSA) where the return address is stored (col. 5, lines 49-67; col. 6, lines 9-12; col. 6, lines 47-54).

As to claim 3, FLECK teaches the pointer selecting step includes updating a second pointer to point to the first pointer (via restoring a CSA from the list / read-write-modify operation) (col. 6, lines 21-30).

As to claim 4, FLECK teaches the updating step includes updating the second pointer from a status wherein the second pointer points to a third pointer to a status wherein the second pointer points to the first pointer, and wherein the third pointer points to a second area of memory (via restoring a CSA from the list / read-write-modify operation) (col. 6, lines 21-30).

As to claim 5, FLECK teaches a return address corresponding to the first data processing task is stored in the second area of memory (via the second portion of the CSA which stores a pointer to another CSA / via following the list to the previous CSA) (col. 5, lines 49-61; col. 7, lines 10-28).

As to claim 6, FLECK teaches the task switching function storing the third pointer (via context switching functions thereby restoring CSAs from the list) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28).

As to claim 7, FLECK teaches the task switching function deselecting a return address (pointer / address) corresponding to the first data processing task (via restoring from the linked list) (col. 2, lines 7-21).

As to claim 8, FLECK teaches saving a return address (pointer / address) corresponding to the first data processing task (via switching context based on call) (col. 4, lines 10-30), and executing the saving step in parallel with the call executing step (col. 4, lines 49-55).

As to claim 12, FLECK teaches memory includes a second storage location for storing a first pointer (address / pointer) which points to a first area of the memory (CSA) that includes the first storage location, the memory management apparatus

Art Unit: 2195

responsive to the instructions information for selecting the first pointer (via chaining addresses of CSAs to the list or using the list restore chained addressed CSAs on the list) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28).

As to claim 13, FLECK teaches the memory management apparatus includes a memory manager for maintaining a second pointer (address / pointer), the memory manager responsive to the instruction (context switch / restore) information for updating the second pointer to point to the first pointer in the memory (via updating the listed chained addressed CSAs after appending or removing CSA's to the list / read-write-modify operation) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-30; col. 6, line 47 – col. 7, line 28).

As to claim 14, FLECK teaches the memory manager is operable for updating the second pointer from a status wherein the second pointer points to a third pointer stored at a third location in the memory to a status wherein the second pointer points to the first pointer, and wherein the third pointer points to a second area of the memory (via context switching functions thereby storing CSAs to the list) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28).

As to claim 15, FLECK teaches the second area of the memory (part of CSA / part of list element) includes a fourth storage location which stores therein a return address (address / pointer) corresponding to the first data processing task (CSA for function / interrupt handler) (via switching context based on call) (col. 4, lines 10-30).

As to claim 16, FLECK teaches the memory manager is responsive to the instruction information for storing the third pointer (address / pointer of subsequent listed CSAs) in the third location of the memory (via context switching based on a call to store the address of CSA on list and link with the previous CSA) (col. 1, lines 27-40; col. 1, line 57 – col. 2, line 32; col. 4, lines 10-30; col. 5, lines 49-67; col. 6, lines 17-20; col. 6, line 47 – col. 7, line 28).

As to claim 19, FLECK teaches the register is a program counter register (register) (col. 3, lines 21-32).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over FLECK (U.S. Patent 6,128,641).

As to claim 18, FLECK substantially discloses the invention above. However, FLECK does not teach the switcher includes TriCore data processor architecture. Official Notice is taken in that a Tri-Core data processor architecture is well known in the art and therefore would be obvious to one skilled in the art that the system of FLECK is implemented in a Tri-Core architecture in order to reduce execution overhead.

5. Claims 9 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over FLECK (U.S. Patent 6,128,641) in view of Applicant's Admitted Prior Art (APA).

As to claim 9, FLECK substantially discloses the invention above. However, FLECK does not teach the data processing task being a host task, disk task, or servo task. APA teaches that a data processing task is one of a host task, a disk task and a servo task of an optical drive control system (pg. 1, line 21 – 2, line 1). It would be obvious to one skilled in the art at the time of the invention to combine the teachings of FLECK with the teachings of APA in order to switch firmware tasks more quickly than conventional microprocessors and microcontrollers (col. 4, lines 38-41; col. 1, lines 27-31).

As to claim 20, FLECK substantially discloses the invention above. However, FLECK does not teach the data processing task being a host task, disk task, or servo task. APA teaches that a data processing task is one of a host task, a disk task and a servo task of an optical drive control system (pg. 1, line 21 – 2, line 1). It would be obvious to one skilled in the art at the time of the invention to combine the teachings of

FLECK with the teachings of APA in order to switch firmware tasks more quickly than conventional microprocessors and microcontrollers (col. 4, lines 38-41; col. 1, lines 27-31).

Response to Arguments

Applicant's arguments filed July 10, 2006 have been fully considered but they are not persuasive.

First, Applicant argues that the claims are contrary to the teachings of Fleck as outlined in the Advisory because "The task switching function executing a return operation to the third data processing task" it is not executing a return operation to the same caller from before, i.e. either the first or second data processing tasks. The examiner disagrees. The claims detail a first task executing a call to a task switching function wherein the task switching function selects a return address corresponding to a second task and thereby returns the second task for execution. The second processing task executes a call to the task switching function wherein the task switching function selects a return address corresponding to a third task and thereby returns the third task for execution. Applicant appears to be arguing that the third task was never previously executed. This interpretation is an improper under M.P.E.P. 2111 because it would involve reading such an interpretation into the claim language. The claims allow for the third task to be previously executed. In addition, since a **return** address is what is selected by the task switching function it would naturally be interpreted as returning execution to the task and thereby must have been previously executed. Otherwise, one

Art Unit: 2195

would simply select an/the address of the third task. By defining the address as a return address of the task, the claims allude to returning execution control to the task at this address. The specification supports this interpretation. Therefore, the claims are interpreted as the first task invoking the task switching function to return control to a second previously executed task, and the second previously executed task returning control to a third previously executed task. Fleck clearly teaches the returning of execution control among contexts associated with tasks / interrupt handlers via referencing a PCX pointer / FCX pointer by a context switch control unit / processor hardware. Therefore, Fleck teaches the claims as disclosed.

Applicant then argues Fleck does not teach, disclose, or suggest, “the task switching function executing a return operation to the third data processing task.” The examiner disagrees. Fleck teaches the current context resides in the general purpose and program state registers of the processor and to save the current context and create a new one, the following steps can be performed by the processor hardware: a context save area is taken from the free list, the current context is stored into the save area, the save area is added to the head of the previous context list wherein the steps are performed in connection with a function call, or with taking a trap or interrupt thereby allowing the called function or interrupt or trap handler free to modify the general registers and other processor state without destroying the context of the calling function or interrupt task (col. 1, line 60 – col. 2, line 6). To switch back from a called function or trap or interrupt handler and switch back to the previous context, the following steps are performed by the processor handler: the save area at the head of the previous context

list is removed from that list, the current context is loaded from the save area just removed from the previous context list, and the save area is added to the free context save area list. These steps are performed as part of the function return instruction, or the instruction to return from an interrupt or trap handler. FLECK also teaches on figure 4 that the PCX has three contexts which would be associated with three previously executing tasks / interrupt handlers. Therefore, the teachings of FLECK teach an interrupt handler/task executing such that when it finishes it invokes a return operation and the context switch control unit switches back to the head of the PCX pointer, thereby switching context / loading the previously executing task / interrupt handler, such that when it finishes it invokes a return operation and the context switch control unit switches back to the new head of the PCX pointer, thereby switching context / loading the now previously executing task / interrupt handler. This interpretation is consistent with the language of the claims and therefore, FLECK teaches the invention as disclosed.

Applicant argues that FLECK does not teach "the memory management apparatus responsive to the instruction information indicating a return instruction for moving the return address from the second storage location to a register of the data processor." The examiner disagrees. As outlined above, FLECK moves a pointer-referenced context to be loaded based on a return instruction. The referenced context is loaded into registers such that the previously executing task / interrupt handler is executed. Therefore, FLECK teaches the language as outlined in the final rejection previously sent.

Applicant argues that FLECK does not teach "the task switching switching from execution of the second task to execution of a third task, wherein the memory has a storage location for storing a return address corresponding to the third task, and an input for receiving information indicative of instructions of a task switching function that has been called by the second task. The examiner disagrees. As outlined above, FLECK moves a pointer-referenced context via a PCX pointer to be loaded based on a return instruction. The referenced context is loaded into registers such that the previously executing task / interrupt handler is executed. The return address is the PCX-referenced of previously executing contexts. Therefore, FLECK teaches the language as outlined in the final rejection previously sent.

Regarding all of the remaining claims, Applicant uses the arguments as outlined above in showing that the limitations are not met. Therefore, in response, to the remaining claims the examiner disagrees and maintains that the teachings of FLECK teach all of the limitations as outlined in the rejection.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lewis A. Bullock, Jr. whose telephone number is (571) 272-3759. The examiner can normally be reached on Monday-Friday, 8:30 a.m. - 5:00 p.m..

Art Unit: 2195

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

September 12, 2006


LEWIS A. BULLOCK, JR.
PRIMARY EXAMINER